



HMER.EX6274 - CHECK VALVES

Check Valves

See General Information for Check Valves

VAL-MATIC VALVE & MFG CORP

EX6274

905 S RIVERSIDE DR

ELMHURST, IL 60126-4941 USA

Split clapper type, Model(s) 8800G, size 2-1/2, 3, 4, 5, 6, 8, 10 or 12 in. (63.5, 76.2, 101.6, 127.0, 152.4, 203.2, 254.0 or 304.8 mm), with resilient seats, grooved style for working pressure of 250 psi (1724 kPa).

Split clapper type, Model(s) 8800G.1, size 2-1/2, 3, 4, 5, 6, 8, 10 or 12 in. (63.5, 76.2, 101.6, 127.0, 152.4, 203.2, 254.0 or 304.8 mm), with resilient seats, grooved style for working pressure of 250 psi (1724 kPa).

Split clapper type, Model(s) 8800GHP, size 2-1/2, 3, 4, 5, 6, 8 or 10 in., with resilient seats, grooved style for working pressure of 350 psi.

Split clapper type, Model(s) 8800W, size 2-1/2, 3, 4, 5, 6, 8, 10 or 12 in. (63.5, 76.2, 101.6, 127.0, 152.4, 203.2, 254.0 or 304.8 mm), with resilient seats, wafer style for working pressure of 250 psi (1724 kPa).

Split clapper type, Model(s) 8800W.1, size 2-1/2, 3, 4, 5, 6, 8, 10 or 12 in. (63.5, 76.2, 101.6, 127.0, 152.4, 203.2, 254.0 or 304.8 mm), with resilient seats, wafer style for working pressure of 250 psi (1724 kPa).

Last Updated on 2017-10-16

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).
2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material.

In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"